



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### Saturday, April 12, 2025 Time of Issue: 0800 hours IST (MORNING)

#### All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

#### 12<sup>th</sup> April (Day 1):

- Heavy rainfall very likely at isolated places over Sub-Himalayan West Bengal & Sikkim, Arunachal Pradesh and Assam & Meghalaya, South Interior Karnataka and Kerala & Mahe.
- Thundersquall accompanied with lightning, gusty Winds (speed reaching 50 60 kmph) & hailstorm very likely at isolated places over East Madhya Pradesh; Thundersquall accompanied with lightning, gusty Winds (speed reaching 50 60 kmph) at isolated places over East Rajasthan, Jharkhand; Thunderstorm accompanied with lightning, gusty Winds (speed reaching 40 50 kmph) & hailstorm at isolated places over Uttar Pradesh; with lightning & gusty Winds (speed reaching 30 40 kmph) & hailstorm at isolated places over Uttarakhand; with lightning & gusty Winds (speed reaching 40 50 kmph) at isolated places over Uttarakhand; with lightning & gusty Winds (speed reaching 40 50 kmph) at isolated places over West Madhya Pradesh, Gangetic West Bengal, Nagaland, Manipur, Mizoram & Tripura, Assam & Meghalaya, Coastal Andhra Pradesh & Yanam, Rayalaseema, Interior Karnataka, with lightning & gusty Winds (speed reaching 30 40 kmph) at isolated places over Himachal Pradesh, Marathwada, Kerala & Mahe, Coastal Karnataka, Telangana; with lightning at isolated places over Himachal Pradesh, Tamil Nadu, Puducherry & Karaikal and Arunachal Pradesh.
- Duststorm very likely at isolated places over Rajasthan.
- \* Hot & humid weather very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over Gulf of Mannar & adjoining Comorin area along & off Tamil Nadu coast. Fishermen are advised not to venture into these areas.

#### 13th April (Day 2):

- \* Heavy rainfall very likely at isolated places over Assam & Meghalaya.
- Thundersquall accompanied with lightning, gusty winds (speed reaching 50 60 kmph) very likely at isolated places over Gangetic West Bengal; Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph) at isolated places over East Madhya Pradesh, Sub-Himalayan West Bengal & Sikkim, Bihar, Nagaland, Manipur, Mizoram & Tripura, Assam & Meghalaya; with lightning & gusty winds (speed reaching 30 40 kmph) at isolated places over Madhya Maharashtra, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana; with lightning at isolated places over East Uttar Pradesh, Kerala & Mahe and Arunachal Pradesh.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over Gulf of Mannar; adjoining Comorin area. Fishermen are advised not to venture into these areas.





### 14<sup>th</sup> April (Day 3):

- Heavy rainfall likely at isolated places over Assam & Meghalaya.
- \* Heat wave conditions very likely in isolated pockets over West Rajasthan.
- Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph) likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Bihar, Jharkhand, Odisha; with lightning & gusty winds (speed reaching 30 40 kmph) at isolated places over Madhya Maharashtra, Marathwada, Coastal Andhra Pradesh & Yanam, Vidarbha, Chhattisgarh and Sub-Himalayan West Bengal & Sikkim and with lightning at isolated places over Kerala & Mahe and Arunachal Pradesh.

### 15th April (Day 4):

- \* Heavy rainfall very likely at isolated places over Assam & Meghalaya.
- Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph) likely at isolated places over Chhattisgarh, Odisha; with lightning & gusty winds (speed reaching 30 40 kmph) at isolated places over Vidarbha, Bihar, Jharkhand, West Bengal & Sikkim and with lightning at isolated places over Kerala & Mahe.
- **Heat wave** likely in isolated pockets over West Rajasthan and Gujarat state.

### 16<sup>th</sup> April (Day 5):

Heat wave to severe heat wave conditions likely in isolated pockets over West Rajasthan. Heat wave conditions in isolated pockets over Punjab, Haryana, Delhi, Gujarat state and East Rajasthan.

### 17th April (Day 6):


Heat wave to severe heat wave conditions likely in isolated pockets over West Rajasthan. Heat wave conditions in isolated pockets over Punjab, Haryana, Delhi, Gujarat state and East Rajasthan.

### 18th April (Day 7):

Heat wave to severe heat wave conditions likely in isolated pockets over West Rajasthan. Heat wave conditions in isolated pockets over Punjab, Haryana, Delhi, Gujarat state and East Rajasthan.












#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





	Та	ble-1					
	12-	13-	14-	15-	16-	17-	18-
Subdivision	Apr						
	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
ANDAMAN & NICOBAR ISLANDS	FWS	SCT	SCT	SCT	SCT	SCT	SCT
ARUNACHAL PRADESH	FWS	SCT	SCT	SCT	SCT	SCT	FWS
ASSAM & MEGHALAYA	WS	WS	FWS	FWS	FWS	FWS	FWS
NAGALAND, MANIPUR, MIZORAM & TRIPURA	SCT	SCT	SCT	SCT	SCT	SCT	FWS
SUB-HIMALAYAN WEST BENGAL & SIKKIM	FWS	FWS	SCT	SCT	FWS	SCT	FWS
GANGETIC WEST BENGAL	SCT	FWS	FWS	SCT	SCT	SCT	FWS
ODISHA	ISOL	ISOL	SCT	FWS	FWS	SCT	FWS
JHARKHAND	SCT	FWS	FWS	SCT	SCT	SCT	FWS
BIHAR	SCT	SCT	SCT	SCT	ISOL	ISOL	FWS
EAST UTTAR PRADESH	SCT	ISOL	ISOL	SCT	ISOL	SCT	SCT
WEST UTTAR PRADESH	SCT	ISOL	DRY	DRY	DRY	ISOL	ISOL
UTTARAKHAND	FWS	ISOL	DRY	DRY	ISOL	ISOL	FWS
HARYANA CHANDIGARH & DELHI	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
PUNJAB	ISOL	DRY	DRY	DRY	DRY	DRY	ISOL
HIMACHAL PRADESH	SCT	DRY	DRY	DRY	DRY	ISOL	ISOL
JAMMU & KASHMIR AND LADAKH	ISOL	DRY	DRY	DRY	DRY	ISOL	ISOL
WEST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
EAST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	ISOL
WEST MADHYA PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
GUJARAT REGION	DRY						
SAURASHTRA & KUTCH	DRY						
KONKAN & GOA	DRY	ISOL	ISOL	ISOL	DRY	DRY	DRY
MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
MARATHAWADA	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
VIDARBHA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
CHHATTISGARH	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT
COASTAL ANDHRA PRADESH & YANAM	SCT						
TELANGANA	ISOL						
RAYALASEEMA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
TAMILNADU PUDUCHERRY & KARAIKAL	ISOL						
COASTAL KARNATAKA	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
NORTH INTERIOR KARNATAKA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
SOUTH INTERIOR KARNATAKA	SCT	ISOL	SCT	SCT	SCT	SCT	SCT
KERALA & MAHE	SCT						
LAKSHADWEEP	SCT	DRY	DRY	DRY	DRY	DRY	DRY

• As the lead period increases forecast accuracy decreases.





Impact expected and action suggested due to isolated thunderstorm with lightning/gusty winds & Hailstorm over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Punjab, Haryana, Chhattisgarh, Bihar, Coastal Andhra Pradesh & Yanam, Odisha, ; Sub-Himalayan West Bengal & Sikkim, Uttarakhand, East Madhya Pradesh, Rajasthan on 12<sup>th</sup>; Jharkhand, Uttar Pradesh on 12<sup>th</sup>; Gangetic West Bengal on 13<sup>th</sup> April.

### Impact expected:

- Strong wind/hail may damage plantation, horticulture and standing crops.
- > Hail may injure people and cattle at open places.
- > Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- ➢ Loose objects may fly.

### Action suggested:

- Stay indoors, close windows & doors and avoid travel if possible.
- > Take safe shelters; do not take shelter under trees.
- > Do not lie on concrete floors and do not lean against concrete walls.
- > Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- > Keep away from all the objects that conduct electricity.

# Agromet advisories for likely impact of Hailstorm / Heavy Rainfall / Gusty Winds / Heatwave

- In Himachal Pradesh, Uttarakhand, East Madhya Pradesh and Chhattisgarh, immediately shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields to avoid the adverse impact of likely hailstorm. Use hail net and hail caps to prevent mechanical damage in orchards due to hailstorms.
- In Arunachal Pradesh, Assam & Meghalaya, Sub-Himalayan West Bengal & Sikkim, Bihar and Uttarakhand immediately harvest the matured crops, fruits and vegetables and shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Also drain out excess water from standing crop and vegetable fields.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.

## Livestock / Poultry / Fishery

- ▶ Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.





Extremely   Extremely   When max   (a) Based of   Heat Wave   Severe Heat   (b). Based   Heat Wave   Severe Heat   (c). Criteri   When maxin   temperature   When max   Warm Night	In the second secon
(a) Based ( Heat Wave Severe Heat (b). Based Heat Wave Severe Heat (c). Criteri When maxin temperature When max Warm Night	con Departure from normal   c: Maximum Temperature Departure from normal 4.5° C to 6.4° C.   at Wave: Maximum Temperature Departure from normal 26.5° C   con Actual maximum temperature   c: When actual maximum temperature ≥45°C.   at Wave: When actual maximum temperature ≥47°C   at or heat wave for coastal stations   num temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum ≥37°C
Heat Wave (b). Based Heat Wave Severe Heat (c). Criteri When maxim temperature When max Warm Night	at Wave: Maximum Temperature Departure from normal ≥6.5° C   on Actual maximum temperature   When actual maximum temperature ≥45°C.   at Wave: When actual maximum temperature ≥47°C   a for heat wave for coastal stations   num temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum   ≥37°C   timum temperature remains 40°C
Heat Wave (b). Based Heat Wave Severe Heat (c). Criteri When maxim temperature When max Warm Night Warm Nigh	on Actual maximum temperature   When actual maximum temperature ≥45°C.   at Wave: When actual maximum temperature ≥47°C   a for heat wave for coastal stations   num temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum   ≥37°C   timum temperature remains 40°C
Varm Night	at Wave: When actual maximum temperature ≥47°C a for heat wave for coastal stations hum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum ≥37°C ctimum temperature remains 40°C
Varm Night	a for heat wave for coastal stations hum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum ≥37°C timum temperature remains 40°C
Varm Night Warm Nigh Severe War	
Severe War	t: When minimum temperature departure 4.5 °C to 6.4 °C
	rm Night: When minimum temperature departure >6.4 °C.
When mir	
	nimum temperature of a station $\leq$ 10°C for plains and $\leq$ 0°C for hilly regions.
	on departure : Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Col	d Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
	on actual Minimum Temperature (for Plains only)
	: When Minimum Temperature is ≤ 4.0 °C d Wave: When Minimum Temperature is ≤ 2.0 °C
	bastal Stations
	num Temperature departure is $\leq$ -4.5 °C & actual Minimum Temperature is $\leq$ 15 °C
	imum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day Cold Day:	departure Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	d Day: Maximum Temperature Departure from normal ≤ -6.5 °C
Phonome	non of small droplets suspended in air and the horizontal visibility < 1km
	og: When the visibility between 500-200 metres
Fog Dense Fog:	when the visibility between 50- 200 metres
nunderstorm Sudden ele sound (thu	ectrical discharges manifested by a flash of light (Lightning) and a sharp rumbling nder)
Dust/Sand An ensemb Storm turbulent v	ole of particles of dust or sand energetically lifted to great heights by a strong and vind.
Ice depos	sits on ground
Erect	ture ≤4°C (over Plains)
A stars and	wind that rises suddenly, lasts for atleast 1 minute.
	Wind that rises suddenly, lasts for atleast 1 minute.
	nd speed 62-87 kmph
Very Sever	e: Wind speed >87 kmph
	arious waves in the sea over specific area
	ery rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre y high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre
ringit to tot	al: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
Cyclonic S	torm: Wind speed 62-87 kmph (34-47 knots)
	clonic Storm: Wind speed 88-117 kmph (48-63 knots)
	e Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots) Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
	one Strom: Wind speed >220 kmph (>119 knots)

**Hot and Humid:** When maximum temperatures remains 3°C above normal along with the above normal relative humidity.